

Subject Area: MXK/GS**SAL LOG ENTRY REPORT****Report Date:** 10/02/08 16:00Z**Location:** CAMP SPRINGS, MD

04/01/2008 - 07/01/2008

Page 1

Date	Time	CC	Remarks	Init	
04/01/08	1345	80	RWY 19R GS REPORTED OTS VIA ADW SSC SUP. VERIFIED WITH MTV SUP.		
			ATSS INVESTIGATING.	RKF	
04/01/08	1845	80	ADW: RWY 19R GS REPORTED OTS VIA ADW SSC SUP. SSC REPAIRED ANTENNA		
04/01/08	1845	80	ADW: RWY 19R GS REPORTED OTS VIA ADW SSC SUP. SSC REPAIRED ANTENNA		
			COVER. RTS.	JAH	
04/01/08	1345	10	Arrived at Site	MB	
04/01/08	1350	58	GS O/S DUE TO WATER IN LOW ANT. (SOP= RKS) (JR/SN/MB)		
			NOTAMED # M0222/08 RKS @ SOP	MB	
04/01/08	1355	58	REMOVED COVER FROM LOW ANT. CLEAN AND AIR DRY THE MON. PART OF THE LOW		
			ANT.	MB	
04/01/08	1430	58	Completed THE MON ANT AND TEST THE MON READING.	MB	
04/01/08	1810	58	PUT THE COVER BACK ON THE LOW ANT. AND MON THE EQUIPMENT.	MB	
04/01/08	1830	00	PERFORM MONTHLY CHECK ON THE GS MON.	MB	
04/01/08	1840	51	GS CERTIFIED	MB	
04/01/08	1845	00	RTS AT THIS TIME (SOP= JH) (JR/MB)	MB	
04/01/08	1850	10	Departed from Site	MB	
04/03/08	1817	65	ADW RWY 19R GS RELEASE REQUESTED FOR ANT ARRAY ELEMENT COVER REPLACEME		
			NT.	FCH	
04/03/08	1924	65	ADW RWY 19R GS RELEASE REQUESTED FOR ANT ARRAY ELEMENT COVER		
			REPLACEMENT. APPROVED. COVER REPLACED RWY 19R GS RTS.	JAH	
04/03/08	1805	10	Arrived at Site	MB	
04/03/08	1820	58	REPLACEING COVER ON LOWER ANT MON ANT.	MB	
04/03/08	1915	58	Completed COVER REPLACEMENT. ON LOWER ANT.	MB	
04/03/08	1920	51	GS CERTIFIED	MB	
04/03/08	2021	00	GS RTS (SOP GS/JH) (AF JR/MB)	MB	
04/03/08	2034	00	BAD TIME	MB	
04/03/08	1920	00	GS RTS (SOP GS/JH) (AF JR/MB)	MB	
04/03/08	1930	10	Departed from Site	MB	
04/08/08	1630	10	Arrived at Site	DTI	
04/08/08	1631	50	Performed Quarterly PM, 2 on FEXT per 6930.1B, paragraph 404A(1)	DTI	
04/08/08	1631	50	Performed Quarterly PM, 3 on FEXT per 6930.1B, paragraph 401C(1)	DTI	
04/08/08	1631	50	Performed Quarterly PM, 4 on FEXT per 6930.1B, paragraph 404I(1)(A-C)	DTI	
04/08/08	1631	50	Performed Quarterly PM, 1 on HVAC per 6970.3A, paragraph 52A(1-3)	DTI	
04/08/08	1631	50	Performed Quarterly PM, 2 on HVAC per 6970.3A, paragraph 51A(1-3)	DTI	
Signature of Manager/Designee			Date	Signature of Technician	Date

Subject Area: MXK/GS

SAL LOG ENTRY REPORT

Report Date: 10/02/08 16:00Z

Location: CAMP SPRINGS, MD

04/01/2008 - 07/01/2008

Page 2

Date	Time	CC	Remarks	Init
04/08/08	1631	50	Performed Quarterly PM, 2 on RDGDS per 6940.3, paragraph 415	DTI
04/08/08	1631	50	Performed Monthly PM, 1 on OBL per 6850.5C, paragraph 196(A-B)	DTI
04/08/08	1650	10	Departed from Site	DTI
04/09/08	1820	00	SIA FORM FOR 1APR OUTAGE SENT TO TSOG.	MLC
04/14/08	2148	10	Arrived at Site	JR
04/14/08	2149	50	Began Monthly PM, 1 on BATT per 6980.25C, paragraph 406, reference	
			VALVE REGULATED LEADACID	JR
04/14/08	2149	50	Began Monthly PM, 1 on SYS per 6750.49A, paragraph 4-20A/4-60,	
			reference LINE ENTER (BOTH EQ.)	JR
04/14/08	2150	50	Began Monthly PM, 2 on SYS per 6750.49A, paragraph 4-60, reference	
			TIME UPDATE	JR
04/14/08	2203	50	Completed Monthly PM, 1 on SYS per 6750.49A, paragraph 4-20A/4-60,	
			reference LINE ENTER (BOTH EQ.)	JR
04/14/08	2203	50	Completed Monthly PM, 2 on SYS per 6750.49A, paragraph 4-60,	
			reference TIME UPDATE	JR
04/14/08	2203	50	Completed Monthly PM, 1 on BATT per 6980.25C, paragraph 406,	
			reference VALVE REGULATED LEADACID	JR
04/14/08	2210	10	Departed from Site	JR
04/15/08	1753	58	Related Log to Log ID ZDC 0800053635	SHN
04/16/08	1800	62	04/16' RWY 19R GS RELEASED FOR MODIFICATION.	JMR
04/16/08	1804	10	Arrived at Site with <MC>	JR
04/16/08	1805	00	Requested equipment release for Mod SOC notified and approved	
			<DVB><JMR> Notam pending base ops	JR
04/16/08	1814	00	Began MOD SSM-ILSMK20-002	JR
04/16/08	2202	00	Completed MOD SSM-ILSMK20-002	JR
04/16/08	2204	56	Completed Modification on SYS/	JR
04/16/08	2204	51	Glideslope certified	JR
04/16/08	2205	00	Returned to service SOC Notified <RF>	JR
04/16/08	2207	10	Departed from Site	JR
04/16/08	2205	62	WORK COMPLETE. RTS	RKF
04/17/08	1442	64	CORRECTED CODE CAT PER ILS ORDER 6750.49A PARA 1-6. HMI ADMINISTRATIVE	BAL
04/18/08	1335	00	NO HMI CONDITIONS WERE CREATED DURING THE INSTALLATION OF THE MOD ON	
			4/16. PCT(BILL TINDELL) WAS INFORMED.	MLC
04/19/08	1500	00	COMPLETED NEW TPR FOR F/I 8/01/06	MB

Signature of Manager/Designee

Date

Signature of Technician

Date

Subject Area: MXK/GS**SAL LOG ENTRY REPORT****Report Date:** 10/02/08 16:00Z**Location:** CAMP SPRINGS, MD

04/01/2008 - 07/01/2008

Page 3

Date	Time	CC	Remarks	Init
05/13/08	1243	10	Arrived at Site	DTI
05/13/08	1244	50	Performed Monthly PM, 1 on OBL per 6850.5C, paragraph 196(A-B)	DTI
05/13/08	1255	10	Departed from Site	DTI
05/15/08	1610	60	[Started Interrupt Report entry]	JS
05/15/08	1847	60	[Completed Interrupt Report entry]	JS
05/15/08	1600	10	Arrived at Site FOR PMS	SHN
05/15/08	1610	50	Performed Monthly PM, 1 on BATT per 6980.25C, paragraph 406, reference VALVE REGULATED LEADACID	SHN
05/15/08	1610	50	Performed Monthly PM, 1 on SYS per 6750.49A, paragraph 4-20A/4-60, reference LINE ENTER (BOTH EQ.)	SHN
05/15/08	1610	50	Performed Monthly PM, 2 on SYS per 6750.49A, paragraph 4-60, reference TIME UPDATE	SHN
05/15/08	1847	00	COMPLETED PM'S	SHN
05/15/08	1915	10	Departed from Site	SHN
05/21/08	2100	64	[Started Interrupt Report entry]	FCH
05/21/08	2333	64	[Completed Interrupt Report entry]	FCH
05/22/08	0007	51	GS CERTIFIED.	MJR
05/27/08	1015	80	RWY 19R OTS. ATSS EN ROUTE TO INVESTIGATE. DENIES CAT II.	JAH
05/27/08	1026	10	Arrived at Site	JR
05/27/08	1026	00	System alarming exec monitors on both equipment alarming SOC Notified <JH>	JR
05/27/08	1028	58	Began Equipment Maintenance on SYS/	JR
05/27/08	1031	00	Monitors alarming on course/path DDM, width DDM, CLR RF level Notam M0360/08	JR
05/27/08	1229	58	Completed Equipment Maintenance on SYS/ Returned to service SOC notified <RF>	JR
05/27/08	1232	51	Glideslope certified	JR
05/27/08	1232	10	Departed from Site	JR
05/27/08	1233	80	NO DEFECT FOUND. MONITORED SYSTEM FOR APPROX TWO HOURS. SYSTEM REMAINS STABLE. RTS.	RKF
05/27/08	1323	58	Related Log to Log ID ZDC 0800092053	JR
05/27/08	1513	10	Arrived at Site	JR
05/27/08	1514	50	Performed Quarterly PM, 1 on BATT per 6980.25C, paragraph 407, reference VALVE REGULATED LEADACID	JR

Signature of Manager/Designee

Date

Signature of Technician

Date

Subject Area: MXK/GS**SAL LOG ENTRY REPORT****Report Date:** 10/02/08 16:00Z**Location:** CAMP SPRINGS, MD

04/01/2008 - 07/01/2008

Page 4

Date	Time	CC	Remarks	Init
05/27/08	1514	50	Began Quarterly PM, 2 on SYS per 6750.49A, paragraph 4-61	JR
05/27/08	1639	50	Completed Quarterly PM, 2 on SYS per 6750.49A, paragraph 4-61	JR
05/27/08	1639	10	Departed from Site	JR
05/27/08	1650	10	Arrived at Site	JR
05/27/08	1705	58	Completed Equipment Maintenance on SYS/ Standby monitor alarming	
			on clr power monitor alarm limit set to per alarm at 99% changed	
			to 96% per alarm checked system	JR
05/27/08	1707	10	Departed from Site	JR
05/29/08	1258	10	Arrived at Site with TSO <DAR>	JR
05/29/08	1258	00	System released for corrected maintenance SOC notified and	
			approved <GS>	JR
05/29/08	1300	58	Began Equipment Maintenance on SYS/ Loose connector on upper	
			antenna found	JR
05/29/08	1524	58	Completed Equipment Maintenance on SYS/ checked system found	
			connector loose all other checks normal	JR
05/29/08	1529	51	glideslope certified	JR
05/29/08	1532	00	returned to service SOC notified <GS>	JR
05/29/08	1532	10	Departed from Site	JR
05/29/08	1300	60	[Started Interrupt Report entry]	GJS
05/29/08	1532	60	[Completed Interrupt Report entry]	GJS
06/02/08	1551	64	GS OTS DUE TO HMI ON LOC (REF ZDC 08 96613) PER 6750.49A AND 6040.15E	
			COMPLETED. RTS.	CS
06/10/08	1615	10	Arrived at Site	DTI
06/10/08	1620	50	Performed Monthly PM, 1 on OBL per 6850.5C, paragraph 196(A-B)	DTI
06/10/08	1620	10	Departed from Site	DTI
06/12/08	1800	10	Arrived at Site	DTI
06/12/08	1811	50	Performed Annual PM, 1 on BLDG per 6930.25A, paragraph 53A(1-5)	DTI
06/12/08	1811	50	Performed Annual PM, 2 on BLDG per 6930.25A, paragraph 53B(1-2)	DTI
06/12/08	1811	50	Performed Annual PM, 5 on BLDG per 6930.25A, paragraph 62B(1-9)	DTI
06/12/08	1811	50	Performed Annual PM, 1 on CABLE per 6950.22, paragraph 43A-E	DTI
06/12/08	1811	50	Performed Annual PM, 1 on ELECT per 6950.17A, paragraph 43A	DTI
06/12/08	1811	50	Performed Annual PM, 2 on ELECT per 6950.17A, paragraph 53A(1-9)	DTI
06/12/08	1811	50	Performed Annual PM, 3 on ELECT per 6950.18A, paragraph 44A-F	DTI
06/12/08	1811	50	Performed Annual PM, 4 on ELECT per 6950.17A, paragraph 53B	DTI

Signature of Manager/Designee

Date

Signature of Technician

Date

Date	Time	CC	Remarks	Init
06/12/08	1811	50	Performed Annual PM, 5 on ELECT per 6950.17A, paragraph 53C(1-3)	DTI
06/12/08	1811	50	Performed Annual PM, 6 on ELECT per 6950.17A, paragraph 53D	DTI
06/12/08	1811	50	Performed Annual PM, 7 on ELECT per 6950.18A, paragraph 41A-F	DTI
06/12/08	1811	50	Performed Annual PM, 8 on ELECT per 6950.17A, paragraph 53G	DTI
06/12/08	1811	50	Performed Annual PM, 1 on FEXT per 6930.1B, paragraph 401C(2)(A-B)	DTI
06/12/08	1811	50	Performed Annual PM, 2 on FEXT per 6930.1B, paragraph 404A(2)	DTI
06/12/08	1811	50	Performed Annual PM, 4 on FEXT per 6930.1B, paragraph 404I(3)(A-D)	DTI
06/12/08	1811	50	Performed Annual PM, 5 on FEXT per 6930.1B, paragraph 401C(3)	DTI
06/12/08	1811	50	Performed Annual PM, 6 on HVAC per 6970.3A, paragraph 54F(1-5)	DTI
06/12/08	1811	50	Performed Annual PM, 8 on HVAC per 6970.3A, paragraph 55D	DTI
06/12/08	1811	50	Performed Annual PM, 10 on HVAC per 6970.3A, paragraph 55F	DTI
06/12/08	1811	50	Performed Annual PM, 11 on HVAC per 6970.3A, paragraph 55G(1-3)	DTI
06/12/08	1811	50	Performed Annual PM, 1 on RDGDS per 6940.3, paragraph 409A-E	DTI
06/12/08	1811	50	Performed Annual PM, 2 on RDGDS per 6940.3, paragraph 410C(3)	DTI
06/12/08	1811	50	Performed Annual PM, 3 on RDGDS per 6940.3, paragraph 410A	DTI
06/12/08	1811	50	Performed Annual PM, 5 on RDGDS per 6940.3, paragraph 410C(4)	DTI
06/12/08	1811	50	Performed Semi-Annual PM, 5 on ELECT per 6950.17A, paragraph 52A(1)	DTI
06/12/08	1811	50	Performed Semi-Annual PM, 7 on ELECT per 6950.17A, paragraph 52B(1)	DTI
06/12/08	1811	50	Performed Semi-Annual PM, 1 on FEXT per 6930.1B, paragraph	
			404I(2)(A-C)	DTI
06/12/08	1854	10	Departed from Site	DTI
06/14/08	1229	10	Arrived at Site	JR
06/14/08	1235	50	Began Monthly PM, 1 on BATT per 6980.25C, paragraph 406, reference	
			VALVE REGULATED LEADACID	JR
06/14/08	1235	50	Began Monthly PM, 1 on SYS per 6750.49A, paragraph 4-20A/4-60,	
			reference LINE ENTER (BOTH EQ.)	JR
06/14/08	1236	50	Began Monthly PM, 2 on SYS per 6750.49A, paragraph 4-60, reference	
			TIME UPDATE	JR
06/14/08	1258	50	Completed Monthly PM, 1 on BATT per 6980.25C, paragraph 406,	
			reference VALVE REGULATED LEADACID	JR
06/14/08	1258	50	Completed Monthly PM, 2 on SYS per 6750.49A, paragraph 4-60,	
			reference TIME UPDATE	JR
06/14/08	1258	50	Completed Monthly PM, 1 on SYS per 6750.49A, paragraph 4-20A/4-60,	
			reference LINE ENTER (BOTH EQ.)	JR

Signature of Manager/Designee

Date

Signature of Technician

Date

Subject Area: MXK/GS

SAL LOG ENTRY REPORT

Report Date: 10/02/08 14:39Z

Location: CAMP SPRINGS, MD

08/01/2008 - 11/01/2008

Page 1

Date	Time	CC	Remarks	Init
08/13/08	1912	10	Arrived at Site	KPM
08/13/08	1912	50	Performed Monthly PM, 1 on OBL per 6850.5C, paragraph 196(A-B)	KPM
08/13/08	1913	10	Departed from Site	KPM
08/13/08	1913	10	Departed from Site	KPM
08/15/08	2205	50	Began Monthly PM, 1 on OBL per 6850.5C, paragraph 196(A-B)	JR
08/15/08	2205	50	Began Monthly PM, 1 on SYS per 6750.49A, paragraph 4-20A/4-60, reference LINE ENTER (BOTH EQ.)	JR
08/15/08	2205	50	Began Monthly PM, 2 on SYS per 6750.49A, paragraph 4-60, reference TIME UPDATE	JR
08/15/08	2206	50	Began Quarterly PM, 1 on BATT per 6980.25C, paragraph 407, reference VALVE REGULATED LEADACID	JR
08/15/08	2206	50	Began Semi-Annual PM, 1 on BATT per 6980.25C, paragraph 408, reference VALVE REGULATED LEADACID	JR
08/15/08	2222	50	Completed Quarterly PM, 1 on BATT per 6980.25C, paragraph 407, reference VALVE REGULATED LEADACID	JR
08/15/08	2222	50	Completed Semi-Annual PM, 1 on BATT per 6980.25C, paragraph 408, reference VALVE REGULATED LEADACID	JR
08/15/08	2222	50	Completed Monthly PM, 1 on OBL per 6850.5C, paragraph 196(A-B)	JR
08/15/08	2222	50	Performed Monthly PM, 1 on BATT per 6980.25C, paragraph 406, reference VALVE REGULATED LEADACID	JR
08/15/08	2223	50	Completed Monthly PM, 1 on SYS per 6750.49A, paragraph 4-20A/4-60, reference LINE ENTER (BOTH EQ.)	JR
08/15/08	2223	50	Completed Monthly PM, 2 on SYS per 6750.49A, paragraph 4-60, reference TIME UPDATE	JR
08/15/08	2224	50	Performed Quarterly PM, 2 on SYS per 6750.49A, paragraph 4-61	JR
08/15/08	2225	00	Returned to service SOC <CS>	JR
08/15/08	2226	10	Departed from Site	JR
08/15/08	2225	60	RWY 19R GS RELEASED FOR MONTHLY PM. COMPLETE, RTS.	CS
08/15/08	2036	10	Arrived at Site FOR PM'S	SHN
08/15/08	2137	50	Performed Monthly PM, 1 on BATT per 6980.25C, paragraph 406, reference VALVE REGULATED LEADACID	SHN
08/15/08	2137	50	Performed Monthly PM, 1 on OBL per 6850.5C, paragraph 196(A-B)	SHN
08/15/08	2137	50	Performed Monthly PM, 1 on SYS per 6750.49A, paragraph 4-20A/4-60, reference LINE ENTER (BOTH EQ.)	SHN

Signature of Manager/Designee

Date

Signature of Technician

Date

Date	Time	CC	Remarks	Init
08/15/08	2137	50	Performed Monthly PM, 2 on SYS per 6750.49A, paragraph 4-60, reference TIME UPDATE	SHN
08/15/08	2150	51	GLIDE SLOPE CERTIFIED	SHN
08/15/08	2159	10	Departed from Site	SHN
08/15/08	2225	51	Glideslope certified	JR
09/04/08	1417	10	Arrived at Site	LWL
09/04/08	1435	50	Performed Monthly PM, 1 on OBL per 6850.5C, paragraph 196(A-B)	LWL
09/04/08	1436	10	Departed from Site	LWL
09/06/08	1200	00	Unable to get system for scheduled PM'S SOC notified due to weather	JR
09/07/08	1155	10	Arrived at Site	JR
09/07/08	1202	00	System released for PM'S SOC notified an approved <ASL>	JR
09/07/08	1203	50	Began Monthly PM, 1 on BATT per 6980.25C, paragraph 406, reference VALVE REGULATED LEADACID	JR
09/07/08	1204	50	Began Monthly PM, 1 on SYS per 6750.49A, paragraph 4-20A/4-60, reference LINE ENTER (BOTH EQ.)	JR
09/07/08	1204	50	Began Monthly PM, 2 on SYS per 6750.49A, paragraph 4-60, reference TIME UPDATE	JR
09/07/08	1215	50	Completed Monthly PM, 1 on BATT per 6980.25C, paragraph 406, reference VALVE REGULATED LEADACID	JR
09/07/08	1215	50	Completed Monthly PM, 1 on SYS per 6750.49A, paragraph 4-20A/4-60, reference LINE ENTER (BOTH EQ.)	JR
09/07/08	1216	50	Completed Monthly PM, 2 on SYS per 6750.49A, paragraph 4-60, reference TIME UPDATE	JR
09/07/08	1200	60	RWY 19R GS RTM FOR PM'S. HMI WILL BE RADIATED.	ASL
09/07/08	1216	50	Began Quarterly PM, 1 on SYS per 6750.49A, paragraph 4-21	JR
09/07/08	1344	50	Completed Quarterly PM, 1 on SYS per 6750.49A, paragraph 4-21	JR
09/07/08	1348	50	Performed Annual PM, 1 on SYS per 6750.49A, paragraph 4-23A & B, reference FREQ. AUDIO PHASING	JR
09/07/08	1404	50	Performed Annual PM, 2 on SYS per 6750.49A, paragraph 4-23C,D & E, reference DELAYS,RESET,STD MONITOR	JR
09/07/08	1418	50	Performed Annual PM, 5 on SYS per 6750.49A, paragraph 4-70A, reference VSWR CHECK.	JR
09/07/08	1420	50	Began Annual PM, 4 on SYS per 6750.49A, paragraph 4-40 A TO E, reference BITE TEST EQUIP	JR

Signature of Manager/Designee

Date

Signature of Technician

Date

