Totalflow Standard Meter Daily Volume Report (Report Code: 321) page 1
Printed date: 10/16/2006

Meter: 32-6250209 Location: Gulfport Sales

Collection Time: 10/16/2006 6:19:11
Firmware Revision:
CUSTOMER NAME:: Unocal
LOCATION NAME:: West Cote Blanche
STATION NAME:: Gulfport Sales
CONTRACT PR. BASE:: 15.025
GRAVITY:: .6162
CUSTOMER #::
LOCATION #::
STATION #::
ORIFICE SIZE:: 1.000
CO2/N2/BTU-DRY:: 1.577/.187/1089.0

Date	DP In H2O	SP PSIA	Tf Deg F	Volume MCF	Energy MMBTU	Integral	Flow Time %	aadd hlhl	zbra ffsc	tad eee	ll cl	amc nge	Mod Code
10/01/2006	68.66	731.10	93.67	4566.3882	4972.7974	187.6772	90.18	---x	x---	---	x-	---	
10/02/2006	36.66	734.86	86.09	1798.6447	1958.7242	73.7426	54.21	---x	x---	---	x-	---	
10/03/2006	16.70	719.65	81.22	1009.5930	1099.4468	41.2906	43.78	---x	x---	---	x-	---	
10/04/2006	45.91	723.71	91.38	2973.0879	3237.6921	122.1634	77.10	---x	x---	---	x-	---	
10/05/2006	54.79	745.61	93.08	3974.8445	4328.6055	163.1072	87.73	---x	x---	---	x-	---	
10/06/2006	51.02	758.31	84.60	4077.9404	4440.8774	166.7014	91.56	---x	x---	---	x-	---	
10/07/2006	50.79	751.59	84.32	4038.4453	4397.8667	165.1459	91.14	---x	x---	---	x-	---	
10/08/2006	39.38	766.11	85.50	2960.4102	3223.8867	121.0045	78.33	---x	x---	---	x-	---	
10/09/2006	28.76	765.14	84.55	2205.2773	2401.5476	90.0818	68.54	---x	x---	---	x-	---	
10/10/2006	48.88	734.43	83.90	3689.5867	4017.9597	151.0522	86.80	---x	x---	---	x-	---	
10/11/2006	48.01	700.02	77.58	2846.3613	3099.6877	116.5689	70.54	---x	x---	---	x-	---	
10/12/2006	101.61	626.84	83.90	435.5347	474.2972	18.0338	9.31	---x	x---	--x	x-	---	
10/13/2006	0.00	83.89	69.64	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
10/14/2006	0.03	76.40	90.54	0.0070	0.0076	0.0003	0.02	----	x---	---	x-	---	
10/15/2006	0.03	46.19	75.95	0.0047	0.0052	0.0002	0.01	----	x---	---	x-	---	
Monthly:	39.41	597.59	84.39	34576.1259	37653.4019	1416.5697	56.62	---x	x---	--x	x-	---	

DP Percent Low: 22.78 Percent High: 0.00 Min: 0.00 Max: 328.98
SP Percent Low: 0.00 Percent High: 0.00 Min: 14.70 Max: 1032.87
Tf Percent Low: 0.00 Percent High: 0.00 Min: 54.09 Max: 110.31
Backflow: 0.00
I Mult. Avg: 23362.15

Totalflow Standard Meter Log Period Volume (Report Code: 320) page 1
Printed date: 10/16/2006

Meter: 32-6250209 Location: Gulfport Sales

Collection Time: 10/16/2006 6:19:11
Firmware Revision:
CUSTOMER NAME:: Unocal
LOCATION NAME:: West Cote Blanche
STATION NAME:: Gulfport Sales
CONTRACT PR. BASE:: 15.025
GRAVITY:: .6162

CUSTOMER #::
LOCATION #::
STATION #::
ORIFICE SIZE:: 1.000
CO2/N2/BTU-DRY:: 1.577/.187/1089.0

	DP In H2O	SP PSIA	Tf Deg F	Volume MCF	Energy MMBTU	Integral	Flow Time %	aadd hlhl	zbra ffsc	tad eee	ll cl	amc nge	Mod Code
10/10/2006													
07:00-08:00	25.79	760.41	79.41	86.5151	94.2150	3.5265	65.75	---x	x---	---	--	---	
08:00-09:00	51.06	766.62	84.53	130.3714	141.9745	5.3279	72.75	---x	x---	---	--	---	
09:00-10:00	31.67	764.66	85.80	100.8110	109.7832	4.1193	70.86	---x	x---	---	--	---	
10:00-11:00	38.19	765.61	90.12	128.4473	139.8791	5.2581	79.89	---x	x---	---	--	---	
11:00-12:00	33.74	762.33	94.92	126.8348	138.1232	5.2016	84.97	---x	x---	---	--	---	
12:00-13:00	39.54	761.17	94.53	144.6811	157.5576	5.9343	90.89	---x	x---	---	--	---	
13:00-14:00	45.68	763.23	94.77	145.3720	158.3101	5.9632	83.89	---x	x---	---	--	---	
14:00-15:00	46.55	757.00	90.41	153.0342	166.6542	6.2702	85.19	---x	x---	---	--	---	
15:00-16:00	48.95	746.00	87.47	146.7788	159.8421	6.0125	83.44	---x	x---	---	--	---	
16:00-17:00	49.23	736.70	85.67	164.7434	179.4057	6.7483	94.86	---x	x---	---	x-	---	
17:00-18:00	48.51	729.01	82.80	157.3511	171.3553	6.4413	88.58	---x	x---	---	x-	---	
18:00-19:00	56.82	724.27	83.67	178.4967	194.3829	7.3130	91.83	---x	x---	---	x-	---	
19:00-20:00	50.86	716.57	79.68	159.0986	173.2583	6.5112	90.06	---x	x---	---	x-	---	
20:00-21:00	46.37	708.92	80.40	157.9372	171.9936	6.4687	92.64	---x	x---	---	x-	---	
21:00-22:00	48.68	704.86	74.96	166.9322	181.7892	6.8250	92.72	---x	x---	---	x-	---	
22:00-23:00	65.05	710.02	79.10	176.8024	192.5379	7.2400	86.19	---x	x---	---	x-	---	
23:00-00:00	49.46	718.27	81.89	160.4231	174.7008	6.5703	92.11	---x	x---	---	x-	---	
00:00-01:00	53.32	725.68	85.23	172.8133	188.1937	7.0828	89.39	---x	x---	---	x-	---	
01:00-02:00	54.32	729.43	81.32	167.4648	182.3691	6.8521	90.00	---x	x---	---	x-	---	
02:00-03:00	49.69	730.40	81.25	170.0615	185.1970	6.9572	93.47	---x	x---	---	x-	---	
03:00-04:00	56.58	723.67	82.17	168.3837	183.3699	6.8952	90.47	---x	x---	---	x-	---	
04:00-05:00	67.60	720.99	84.43	186.4644	203.0597	7.6449	89.03	---x	x---	---	x-	---	
05:00-06:00	56.43	716.99	80.34	166.6805	181.5151	6.8265	86.64	---x	x---	---	x-	---	
06:00-07:00	48.30	714.01	71.67	173.0881	188.4929	7.0620	97.44	---x	x---	---	x-	---	
Daily:	48.88	734.43	83.90	3689.5867	4017.9597	151.0522	86.80	---x	x---	---	x-	---	

DP Percent Low: 12.90 Percent High: 0.00 Min: 0.00 Max: 204.29
SP Percent Low: 0.00 Percent High: 0.00 Min: 695.97 Max: 781.95
Tf Percent Low: 0.00 Percent High: 0.00 Min: 65.80 Max: 97.21
Backflow: 0.00
I Mult. Avg: 24425.90

Totalflow Standard Meter Log Period Volume (Report Code: 320) page 2
Printed date: 10/16/2006

Meter: 32-6250209 Location: Gulfport Sales

	DP In H2O	SP PSIA	Tf Deg F	Volume MCF	Energy MMBTU	Integral	Flow Time %	aadd hlhl	zbra ffsc	tad eee	ll cl	amc nge	Mod Code
10/11/2006													
07:00-08:00	53.30	711.31	75.42	165.7657	180.5188	6.7763	88.94	---x	x---	---	--	---	
08:00-09:00	56.75	708.79	78.82	172.6865	188.0556	7.0699	88.67	---x	x---	---	--	---	
09:00-10:00	52.99	707.67	78.79	154.2654	167.9950	6.3158	84.89	---x	x---	---	--	---	
10:00-11:00	57.75	707.84	73.21	178.9399	194.8656	7.3107	92.58	---x	x---	---	--	---	
11:00-12:00	56.81	708.28	76.77	184.5095	200.9309	7.5489	96.92	---x	x---	---	--	---	
12:00-13:00	63.13	709.16	81.70	178.3634	194.2377	7.3112	93.06	---x	x---	---	--	---	
13:00-14:00	46.68	707.79	82.84	157.8922	171.9445	6.4733	93.14	---x	x---	---	--	---	
14:00-15:00	57.50	710.89	85.99	184.9307	201.3895	7.5902	95.67	---x	x---	---	--	---	
15:00-16:00	56.05	709.96	86.80	67.8441	73.8822	2.7858	37.69	---x	x---	---	--	---	
16:00-17:00	41.23	703.42	80.19	136.3288	148.4621	5.5848	86.25	---x	x---	---	--	---	
17:00-18:00	55.19	708.89	81.92	169.9993	185.1293	6.9680	92.56	---x	x---	---	x-	---	
18:00-19:00	54.34	708.45	81.45	168.1621	183.1285	6.8912	89.22	---x	x---	---	x-	---	
19:00-20:00	61.05	707.73	81.20	178.8870	194.8080	7.3318	90.78	---x	x---	---	x-	---	
20:00-21:00	48.20	698.28	80.03	161.1854	175.5309	6.6062	93.44	---x	x---	---	x-	---	
21:00-22:00	50.30	690.25	79.39	171.6107	186.8841	7.0361	96.50	---x	x---	---	x-	---	
22:00-23:00	54.67	685.55	79.02	177.1365	192.9017	7.2649	95.89	---x	x---	---	x-	---	
23:00-00:00	34.56	667.86	68.59	47.6423	51.8824	1.9477	34.94	---x	x---	---	x-	---	
00:00-01:00	39.39	668.13	69.22	62.8650	68.4600	2.5716	48.19	---x	x---	---	x-	---	
01:00-02:00	8.36	666.90	66.49	23.1343	25.1932	0.9438	33.42	---x	x---	---	x-	---	
02:00-03:00	7.15	674.25	64.14	22.0945	24.0609	0.9000	36.22	---x	x---	---	x-	---	
03:00-04:00	5.42	678.00	62.60	18.5056	20.1525	0.7530	31.08	---x	x---	---	x-	---	
04:00-05:00	12.91	681.87	61.62	29.0389	31.6234	1.1813	32.44	---x	x---	---	x-	---	
05:00-06:00	2.11	680.66	64.11	11.3681	12.3799	0.4625	30.44	---x	x---	---	x-	---	
06:00-07:00	12.26	684.65	62.70	23.2051	25.2704	0.9438	30.03	---x	x---	---	x-	---	
Daily:	48.01	700.02	77.58	2846.3613	3099.6877	116.5689	70.54	---x	x---	---	x-	---	

DP Percent Low: 29.11 Percent High: 0.00 Min: 0.00 Max: 252.48
SP Percent Low: 0.00 Percent High: 0.00 Min: 657.33 Max: 726.29
Tf Percent Low: 0.00 Percent High: 0.00 Min: 58.94 Max: 87.52
Backflow: 0.00
I Mult. Avg: 24417.84

Totalflow Standard Meter Log Period Volume (Report Code: 320)
Printed date: 10/16/2006

Meter: 32-6250209 Location: Gulfport Sales

	DP In H2O	SP PSIA	Tf Deg F	Volume MCF	Energy MMBTU	Integral	Flow Time %	aadd hlhl	zbra ffsc	tad eee	ll cl	amc nge	Mod Code
10/12/2006													
07:00-08:00	3.59	682.01	67.60	7.1762	7.8149	0.2925	14.28	---x	x---	---	--	---	
08:00-09:00	51.30	687.74	75.10	19.2980	21.0155	0.7900	13.61	---x	x---	---	--	---	
09:00-10:00	113.22	721.47	88.46	223.8935	243.8200	9.2020	84.11	---x	x---	---	--	---	
10:00-11:00	62.93	723.88	91.35	154.4120	168.1547	6.3456	80.39	---x	x---	---	--	---	
11:00-12:00	237.87	65.29	63.54	30.7550	33.4922	1.4037	30.94	---x	x---	--x	--	---	
12:00-13:00	0.00	1010.79	87.09	0.0000	0.0000	0.0000	0.00	---x	x---	---	--	---	
13:00-14:00	0.00	975.35	88.21	0.0000	0.0000	0.0000	0.00	---x	x---	---	--	---	
14:00-15:00	0.00	933.94	86.11	0.0000	0.0000	0.0000	0.00	---x	x---	---	--	---	
15:00-16:00	0.00	898.60	85.55	0.0000	0.0000	0.0000	0.00	---x	x---	---	--	---	
16:00-17:00	0.00	864.66	83.11	0.0000	0.0000	0.0000	0.00	---x	x---	---	--	---	
17:00-18:00	0.00	829.35	80.70	0.0000	0.0000	0.0000	0.00	---x	x---	---	x-	---	
18:00-19:00	0.00	796.66	78.75	0.0000	0.0000	0.0000	0.00	---x	x---	---	x-	---	
19:00-20:00	0.00	766.07	77.71	0.0000	0.0000	0.0000	0.00	---x	x---	---	x-	---	
20:00-21:00	0.00	736.79	77.20	0.0000	0.0000	0.0000	0.00	---x	x---	---	x-	---	
21:00-22:00	0.00	707.82	76.80	0.0000	0.0000	0.0000	0.00	---x	x---	---	x-	---	
22:00-23:00	0.00	678.96	76.58	0.0000	0.0000	0.0000	0.00	---x	x---	---	x-	---	
23:00-00:00	0.00	649.66	76.19	0.0000	0.0000	0.0000	0.00	---x	x---	---	x-	---	
00:00-01:00	0.00	620.16	75.94	0.0000	0.0000	0.0000	0.00	---x	x---	---	x-	---	
01:00-02:00	0.00	585.21	73.09	0.0000	0.0000	0.0000	0.00	---x	x---	---	x-	---	
02:00-03:00	0.00	549.34	69.06	0.0000	0.0000	0.0000	0.00	---x	x---	---	x-	---	
03:00-04:00	0.00	511.82	65.34	0.0000	0.0000	0.0000	0.00	---x	x---	---	x-	---	
04:00-05:00	0.00	468.57	62.38	0.0000	0.0000	0.0000	0.00	---x	x---	---	x-	---	
05:00-06:00	0.00	344.80	59.74	0.0000	0.0000	0.0000	0.00	---x	x---	---	x-	---	
06:00-07:00	0.00	76.99	59.36	0.0000	0.0000	0.0000	0.00	---x	x---	---	x-	---	
Daily:	101.61	626.84	83.90	435.5347	474.2972	18.0338	9.31	---x	x---	--x	x-	---	

DP Percent Low: 85.88 Percent High: 0.00 Min: 0.00 Max: 328.98
SP Percent Low: 0.00 Percent High: 0.00 Min: 18.57 Max: 1032.87
Tf Percent Low: 0.00 Percent High: 0.00 Min: 54.09 Max: 99.94
Backflow: 0.00
I Mult. Avg: 24151.07

Totalflow Standard Meter Log Period Volume (Report Code: 320) page 4
Printed date: 10/16/2006

Meter: 32-6250209 Location: Gulfport Sales

	DP In H2O	SP PSIA	Tf Deg F	Volume MCF	Energy MMBTU	Integral	Flow Time %	aadd hlhl	zbra ffsc	tad eee	ll cl	amc nge	Mod Code
10/13/2006													
07:00-08:00	0.00	58.82	61.39	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
08:00-09:00	0.00	54.11	64.34	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
09:00-10:00	0.00	54.08	67.21	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
10:00-11:00	0.00	56.01	69.59	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
11:00-12:00	0.00	71.38	73.97	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
12:00-13:00	0.00	84.27	76.29	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
13:00-14:00	0.00	88.57	76.15	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
14:00-15:00	0.00	87.82	75.57	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
15:00-16:00	0.00	87.63	76.33	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
16:00-17:00	0.00	93.17	74.50	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
17:00-18:00	0.00	97.39	72.51	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
18:00-19:00	0.00	97.01	70.92	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
19:00-20:00	0.00	95.51	70.33	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
20:00-21:00	0.00	94.50	69.42	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
21:00-22:00	0.00	93.47	68.76	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
22:00-23:00	0.00	92.49	68.59	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
23:00-00:00	0.00	91.65	68.18	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
00:00-01:00	0.00	90.69	68.04	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
01:00-02:00	0.00	89.73	67.66	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
02:00-03:00	0.00	88.83	67.44	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
03:00-04:00	0.00	87.97	66.67	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
04:00-05:00	0.00	87.07	66.36	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
05:00-06:00	0.00	86.06	65.65	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
06:00-07:00	0.00	85.21	65.51	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
Daily:	0.00	83.89	69.64	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	

DP Percent Low: 0.00 Percent High: 0.00 Min: 0.00 Max: 0.00
SP Percent Low: 0.00 Percent High: 0.00 Min: 53.75 Max: 97.98
Tf Percent Low: 0.00 Percent High: 0.00 Min: 60.37 Max: 77.04
Backflow: 0.00
I Mult. Avg: 0.00

Totalflow Standard Meter Log Period Volume (Report Code: 320) page 5
Printed date: 10/16/2006

Meter: 32-6250209 Location: Gulfport Sales

	DP In H2O	SP PSIA	Tf Deg F	Volume MCF	Energy MMBTU	Integral	Flow Time %	aadd hlhl	zbra ffsc	tad eee	ll cl	amc nge	Mod Code
10/14/2006													
07:00-08:00	0.00	83.83	66.86	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
08:00-09:00	0.00	82.06	71.45	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
09:00-10:00	0.00	79.97	78.08	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
10:00-11:00	0.03	77.71	87.19	0.0010	0.0011	0.0000	0.06	----	x---	---	--	---	
11:00-12:00	0.03	76.19	91.05	0.0060	0.0065	0.0002	0.36	----	x---	---	--	---	
12:00-13:00	0.00	73.76	94.22	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
13:00-14:00	0.00	71.44	94.39	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
14:00-15:00	0.00	69.32	88.46	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
15:00-16:00	0.00	67.30	86.11	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
16:00-17:00	0.00	64.97	81.89	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
17:00-18:00	0.00	62.65	77.69	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
18:00-19:00	0.00	60.54	74.94	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
19:00-20:00	0.00	58.81	73.28	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
20:00-21:00	0.00	57.87	72.13	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
21:00-22:00	0.00	57.05	71.37	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
22:00-23:00	0.00	56.16	70.76	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
23:00-00:00	0.00	55.31	70.76	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
00:00-01:00	0.00	54.58	70.61	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
01:00-02:00	0.00	53.88	70.45	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
02:00-03:00	0.00	53.35	70.41	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
03:00-04:00	0.00	52.70	70.74	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
04:00-05:00	0.00	52.06	71.31	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
05:00-06:00	0.00	51.42	71.64	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
06:00-07:00	0.00	50.79	71.77	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
Daily:	0.03	76.40	90.54	0.0070	0.0076	0.0003	0.02	----	x---	---	x-	---	

DP Percent Low: 0.00 Percent High: 0.00 Min: 0.00 Max: 0.03
SP Percent Low: 0.00 Percent High: 0.00 Min: 50.38 Max: 84.74
Tf Percent Low: 0.00 Percent High: 0.00 Min: 65.66 Max: 95.64
Backflow: 0.00
I Mult. Avg: 27886.74

Totalflow Standard Meter Log Period Volume (Report Code: 320) page 6
Printed date: 10/16/2006

Meter: 32-6250209 Location: Gulfport Sales

	DP In H2O	SP PSIA	Tf Deg F	Volume MCF	Energy MMBTU	Integral	Flow Time %	aadd hlhl	zbra ffsc	tad eee	ll cl	amc nge	Mod Code
10/15/2006													
07:00-08:00	0.00	50.15	72.19	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
08:00-09:00	0.00	49.65	72.97	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
09:00-10:00	0.03	49.30	75.11	0.0004	0.0004	0.0000	0.03	----	x---	---	--	---	
10:00-11:00	0.03	48.94	77.27	0.0019	0.0021	0.0001	0.14	----	x---	---	--	---	
11:00-12:00	0.00	48.33	74.65	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
12:00-13:00	0.00	47.89	74.62	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
13:00-14:00	0.03	47.18	75.97	0.0004	0.0004	0.0000	0.03	----	x---	---	--	---	
14:00-15:00	0.00	46.77	73.71	0.0000	0.0000	0.0000	0.00	----	x---	---	--	---	
15:00-16:00	0.00	46.31	72.98	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
16:00-17:00	0.00	45.71	72.64	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
17:00-18:00	0.00	45.17	72.28	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
18:00-19:00	0.00	44.71	72.20	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
19:00-20:00	0.00	44.30	72.90	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
20:00-21:00	0.00	44.06	73.85	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
21:00-22:00	0.00	43.71	73.99	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
22:00-23:00	0.00	43.48	74.15	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
23:00-00:00	0.03	43.12	74.39	0.0004	0.0004	0.0000	0.03	----	x---	---	x-	---	
00:00-01:00	0.03	42.88	74.53	0.0004	0.0004	0.0000	0.03	----	x---	---	x-	---	
01:00-02:00	0.00	42.66	73.29	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
02:00-03:00	0.03	42.41	74.32	0.0004	0.0004	0.0000	0.03	----	x---	---	x-	---	
03:00-04:00	0.03	42.37	75.18	0.0004	0.0004	0.0000	0.03	----	x---	---	x-	---	
04:00-05:00	0.03	42.32	75.54	0.0004	0.0004	0.0000	0.03	----	x---	---	x-	---	
05:00-06:00	0.00	42.11	75.54	0.0000	0.0000	0.0000	0.00	----	x---	---	x-	---	
Daily:	0.03	46.19	75.95	0.0047	0.0052	0.0002	0.01	----	x---	---	x-	---	

DP Percent Low: 0.00 Percent High: 0.00 Min: 0.00 Max: 0.03
SP Percent Low: 0.00 Percent High: 0.00 Min: 41.98 Max: 50.49
Tf Percent Low: 0.00 Percent High: 0.00 Min: 71.81 Max: 77.61
Backflow: 0.00
I Mult. Avg: 29808.79