OG

Class	Time	State	Ack	Alarm Message
VITAL	1:28 AM 5/14/07	Alarm	N	Bilge Sensor, Chain Locker
VITAL	1:28 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 37-53 Port
VITAL	1:28 AM 5/14/07	Alarm	N	Bilge Sensor, Forepeak
NVITL	1:28 AM 5/14/07	Alarm	N	F/O Strg Tank Level, Port
STAT	1:28 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
VITAL	1:28 AM 5/14/07	Alarm	N	Hyd Oil Boost Press Min, Z-Drive Stbd
VITAL	1:28 AM 5/14/07	Alarm	N	Z-Stbd LFBVAR3 Armature Volts
VITAL	1:28 AM 5/14/07	Alarm	N	Lube Oil Low Flow, Z-Drive Stbd
STAT	1:28 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
VITAL	1:29 AM 5/14/07	Alarm	N	Bilge Sensor, Void #1
STAT	1:29 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
VITAL	1:29 AM 5/14/07	Alarm	N	Bilge Sensor, Void #3
STAT	1:30 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
NVITL	1:30 AM 5/14/07	Alarm	N	Engineer Assistance Needed
NVITL	1:31 AM 5/14/07	Alarm	N	F/O Strg Tank Level, Center
VITAL	1:33 AM 5/14/07	Alarm	N	Bilge Sensor, Void #2
STAT	1:33 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	1:33 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	1:36 AM 5/14/07			Port Fire Pump Running
STAT	1:44 AM 5/14/07			Blg/Ballast Manifold Suct Blg Pmp2 Valve Clsd
NVITL	2:04 AM 5/14/07	Alarm	N	F/O Day Tank Level, Stbd
STAT	2:05 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	2:05 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
NVITL	2:13 AM 5/14/07	Alarm	N	Blackwater TL1
STAT	2:13 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED

VITAL	3:52 AM 5/14/07	Alarm	N	Bilge Sensor, Void #4
STAT	3:52 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	3:52 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	4:07 AM 5/14/07			JP Fire/Bilge Pump 1 Overbd Disch Valve Open
STAT	4:08 AM 5/14/07			JP Rm Fire/Bile Pump1 Fire Main Valve Clsd
STAT	4:09 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Suct Strain Valve Open
VITAL	4:12 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 53-73 Port
STAT	4:12 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	4:12 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	4:16 AM 5/14/07			Fire/Bilge Pump #1 Running
STAT	4:17 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Seawater Suct Valve Clsd
STAT	4:17 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Seawater Suct Valve Open
STAT	4:19 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	4:22 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Seawater Suct Valve Clsd
STAT	4:24 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Seawater Suct Valve Open

LOG

Class	Time	State	Ack	Alarm Message
VITAL	4:30 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 89-109 Port
---	---	---	---	---
STAT	4:30 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	4:30 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
VITAL	4:42 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 53-73 Port
STAT	4:42 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	4:42 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	4:46 AM 5/14/07			Generator 3 CKT Bkr Opened
STAT	4:46 AM 5/14/07			Engine #3 Run Status
VITAL	4:46 AM 5/14/07	Alarm	N	Generator 3 Under Frequency
VITAL	4:46 AM 5/14/07	Alarm	N	Generator 3 Under Voltage
STAT	4:47 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	4:47 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	4:47 AM 5/14/07			Generator 1 Not in Auto
STAT	4:52 AM 5/14/07			Dsl Gen 3 Cool Pump Stopped
STAT	4:52 AM 5/14/07			Dsl Gen 3 System Shutdown
VITAL	5:08 AM 5/14/07	Alarm	N	RDU7 Fuse F1A Fail
STAT	5:08 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	5:08 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
VITAL	5:11 AM 5/14/07	Alarm	N	Bilge Sensor, Void #3
STAT	5:11 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	5:11 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
VITAL	5:13 AM 5/14/07	Alarm	N	BLOCK A07-A308 FAIL
VITAL	5:13 AM 5/14/07	Alarm	N	BLOCK A07-A309 FAIL
VITAL	5:13 AM 5/14/07	Alarm	N	BLOCK A07-A310 FAIL
VITAL	5:13 AM 5/14/07	Alarm	N	BLOCK A07-D311 FAIL

SWG	NVITL	2:18 AM 5/14/07	Alarm	N	Blackwater TLI
FMEA	STAT	2:18 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
FMEA	STAT	2:18 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
BLG	NVITL	2:20 AM 5/14/07	Alarm	N	F/O Strg Tank Level, Stbd
FMEA	STAT	2:20 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
FMEA	STAT	2:20 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
SWG	NVITL	2:25 AM 5/14/07	Alarm	N	Blackwater TLI
FMEA	STAT	2:25 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
FMEA	STAT	2:25 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
BLG	VITAL	3:15 AM 5/14/07	Alarm	N	Bilge Sensor, Void #4
FMEA	STAT	3:15 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
FMEA	STAT	3:15 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
POTW	NVITL	3:24 AM 5/14/07	Alarm	N	Potable Water Pressure
FMEA	STAT	3:24 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
FMEA	STAT	3:24 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
BLG	VITAL	3:52 AM 5/14/07	Alarm	N	Bilge Sensor, Void #4
FMEA	STAT	3:52 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
FMEA	STAT	3:52 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
BLG	STAT	4:07 AM 5/14/07			JP Fire/Bilge Pump 1 Overbd Disch Valve Op
BLG	STAT	4:08 AM 5/14/07			JP Rm Fire/Bile Pump1 Fire Main Valve Clsc
BLG	STAT	4:09 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Suct Strain Valve C
BLG	VITAL	4:12 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 53-73 Port
FMEA	STAT	4:12 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
FMEA	STAT	4:12 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
BLG	STAT	4:16 AM 5/14/07			Fire/Bilge Pump #1 Running
BLG	STAT	4:17 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Seawater Suct Valve
BLG	STAT	4:17 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Seawater Suct Valve
FMEA	STAT	4:19 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
BLG	STAT	4:22 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Seawater Suct Valve
BLG	STAT	4:24 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Seawater Suct Valve

CIMPLICITY ALARM LOG

Resource	Class	Time	State	Ack	Alarm Message
BLG	VITAL	4:30 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 89-109 Port
---	---	---	---	---	---
FMEA	STAT	4:30 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
FMEA	STAT	4:30 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
BLG	VITAL	4:42 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 53-73 Port
FMEA	STAT	4:42 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
FMEA	STAT	4:42 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
GEN3	STAT	4:46 AM 5/14/07			Generator 3 CKT Bkr Opened
GEN3	STAT	4:46 AM 5/14/07			Engine #3 Run Status
GEN3	VITAL	4:46 AM 5/14/07	Alarm	N	Generator 3 Under Frequency
GEN3	VITAL	4:46 AM 5/14/07	Alarm	N	Generator 3 Under Voltage

VITAL	3:52 AM 5/14/07	Alarm	N	Bilge Sensor, Void #4
STAT	3:52 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	3:52 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	4:07 AM 5/14/07			JP Fire/Bilge Pump 1 Overbd Disch Valve Open
STAT	4:08 AM 5/14/07			JP Rm Fire/Bile Pump1 Fire Main Valve Clsd
STAT	4:09 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Suct Strain Valve Open
VITAL	4:12 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 53-73 Port
STAT	4:12 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	4:12 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	4:16 AM 5/14/07			Fire/Bilge Pump #1 Running
STAT	4:17 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Seawater Suct Valve Clsd
STAT	4:17 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Seawater Suct Valve Open
STAT	4:19 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	4:22 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Seawater Suct Valve Clsd
STAT	4:24 AM 5/14/07			JP Rm Fire/Bilge Pmp 1 Seawater Suct Valve Open

G

Class	Time	State	Ack	Alarm Message
VITAL	4:30 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 89-109 Port
STAT	4:30 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	4:30 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
VITAL	4:42 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 53-73 Port
STAT	4:42 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	4:42 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	4:46 AM 5/14/07			Generator 3 CKT Bkr Opened
STAT	4:46 AM 5/14/07			Engine #3 Run Status
VITAL	4:46 AM 5/14/07	Alarm	N	Generator 3 Under Frequency
VITAL	4:46 AM 5/14/07	Alarm	N	Generator 3 Under Voltage
STAT	4:47 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	4:47 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	4:47 AM 5/14/07			Generator 1 Not in Auto
STAT	4:52 AM 5/14/07			Dsl Gen 3 Cool Pump Stopped
STAT	4:52 AM 5/14/07			Dsl Gen 3 System Shutdown
VITAL	5:08 AM 5/14/07	Alarm	N	RDU7 Fuse F1A Fail
STAT	5:08 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	5:08 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
VITAL	5:11 AM 5/14/07	Alarm	N	Bilge Sensor, Void #3
STAT	5:11 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	5:11 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
VITAL	5:13 AM 5/14/07	Alarm	N	BLOCK A07-A308 FAIL
VITAL	5:13 AM 5/14/07	Alarm	N	BLOCK A07-A309 FAIL
VITAL	5:13 AM 5/14/07	Alarm	N	BLOCK A07-A310 FAIL
VITAL	5:13 AM 5/14/07	Alarm	N	BLOCK A07-D311 FAIL

FMEA	VITAL	5:13 AM 5/14/07	Alarm	N	BLOCK A07-R314 FAIL
BLG	VITAL	5:13 AM 5/14/07	Alarm	N	Fuel Oil Overflow Tank Level
BLG	NVITL	5:13 AM 5/14/07	Alarm	N	F/O Strg Tank Overflow Alarm
BLG	VITAL	5:13 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 109-129 Port
BLG	VITAL	5:13 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 89-109 Port
BLG	VITAL	5:13 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 73-89 Port
BLG	VITAL	5:13 AM 5/14/07	Alarm	N	Bilge Sensor, Void #2
BLG	VITAL	5:13 AM 5/14/07	Alarm	N	Bilge Sensor, Void #4
BLG	VITAL	5:13 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 37-53 Stbd
BLG	VITAL	5:13 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 73-89 Stbd
BLG	VITAL	5:13 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 89-109 Stbd
BLG	VITAL	5:13 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 109-129 Stbd
BLG	VITAL	5:13 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 37-53 Port
BLG	VITAL	5:13 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 22-37 Port
BLG	VITAL	5:13 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 22-37 Stbd
AMS	VITAL	5:13 AM 5/14/07	Alarm	N	PF EAP Power Failure Sewage Equipment Rm
AMS	VITAL	5:13 AM 5/14/07	Alarm	N	OL EAP Power Failure Crew Lounge
AMS	VITAL	5:13 AM 5/14/07	Alarm	N	CE EAP Power Failure Engineer's Room
HVAC	NVITL	5:13 AM 5/14/07	Alarm	N	AHU #7 Summary Failure
HVAC	NVITL	5:13 AM 5/14/07	Alarm	N	AHU #8 Summary Failure
HVAC	NVITL	5:13 AM 5/14/07	Alarm	N	AHU #9 Summary Failure
SWG	NVITL	5:13 AM 5/14/07	Alarm	N	Vacuum System Summary Alarm
PWR	NVITL	5:13 AM 5/14/07	Alarm	N	SS Transformer Port Hi Temp
PWR	VITAL	5:13 AM 5/14/07	Alarm	N	SS Transformer Port Hi-Hi Temp
PWR	NVITL	5:13 AM 5/14/07	Alarm	N	SS Transformer Stbd Hi Temp
PWR	VITAL	5:13 AM 5/14/07	Alarm	N	SS Transformer Stbd Hi-Hi Temp
PWR	NVITL	5:13 AM 5/14/07	Alarm	N	Ship's Service UPS Fail
FIRE	VITAL	5:13 AM 5/14/07	Alarm	N	Sprinkler Tank Level Low
FIRE	VITAL	5:13 AM 5/14/07	Alarm	N	Sprinkler Tank Pressure Low

CIMPLICITY ALARM LOG

Resource	Class	Time	State	Ack	Alarm Message
RFR	NVITL	5:13 AM 5/14/07	Alarm	N	Refer Hi Temperature Alarm
RFR	NVITL	5:13 AM 5/14/07	Alarm	N	Freezer Hi Temperature Alarm
FMEA	VITAL	5:13 AM 5/14/07	Alarm	N	RDU7 Fuse F1B Fail
PWR	NVITL	5:13 AM 5/14/07	Alarm	N	SS Transformer Port Temp 2
PWR	NVITL	5:13 AM 5/14/07	Alarm	N	SS Transformer Port Temp 3
FMEA	STAT	5:13 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
POTW	NVITL	5:13 AM 5/14/07	Alarm	N	Potable Water Pressure
FMEA	STAT	5:13 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
BLG	NVITL	5:13 AM 5/14/07	Alarm	N	F/O Strg Tank Level, Stbd
PWR	NVITL	5:13 AM 5/14/07	Alarm	N	SS Transformer Port Temp 1
[illegible]	STAT	5:13 AM 5/14/07			[illegible] ALARM SILENCE BUTTON PRESSED

VITAL	5:13 AM 5/14/07	Alarm	N	Bilge Sensor, Frame 22-37 Stbd
VITAL	5:13 AM 5/14/07	Alarm	N	PF EAP Power Failure Sewage Equipment Rm
VITAL	5:13 AM 5/14/07	Alarm	N	OL EAP Power Failure Crew Lounge
VITAL	5:13 AM 5/14/07	Alarm	N	CE EAP Power Failure Engineer's Room
NVITL	5:13 AM 5/14/07	Alarm	N	AHU #7 Summary Failure
NVITL	5:13 AM 5/14/07	Alarm	N	AHU #8 Summary Failure
NVITL	5:13 AM 5/14/07	Alarm	N	AHU #9 Summary Failure
NVITL	5:13 AM 5/14/07	Alarm	N	Vacuum System Summary Alarm
NVITL	5:13 AM 5/14/07	Alarm	N	SS Transformer Port Hi Temp
VITAL	5:13 AM 5/14/07	Alarm	N	SS Transformer Port Hi-Hi Temp
NVITL	5:13 AM 5/14/07	Alarm	N	SS Transformer Stbd Hi Temp
VITAL	5:13 AM 5/14/07	Alarm	N	SS Transformer Stbd Hi-Hi Temp
NVITL	5:13 AM 5/14/07	Alarm	N	Ship's Service UPS Fail
VITAL	5:13 AM 5/14/07	Alarm	N	Sprinkler Tank Level Low
VITAL	5:13 AM 5/14/07	Alarm	N	Sprinkler Tank Pressure Low

Class	Time	State	Ack	Alarm Message
NVITL	5:13 AM 5/14/07	Alarm	N	Refer Hi Temperature Alarm
NVITL	5:13 AM 5/14/07	Alarm	N	Freezer Hi Temperature Alarm
VITAL	5:13 AM 5/14/07	Alarm	N	RDU7 Fuse F1B Fail
NVITL	5:13 AM 5/14/07	Alarm	N	SS Transformer Port Temp 2
NVITL	5:13 AM 5/14/07	Alarm	N	SS Transformer Port Temp 3
STAT	5:13 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
NVITL	5:13 AM 5/14/07	Alarm	N	Potable Water Pressure
STAT	5:13 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
NVITL	5:13 AM 5/14/07	Alarm	N	F/O Strg Tank Level, Stbd
NVITL	5:13 AM 5/14/07	Alarm	N	SS Transformer Port Temp 1
STAT	5:13 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	5:14 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
NVITL	5:14 AM 5/14/07	Alarm	N	Blackwater TLI
STAT	5:14 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	5:14 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
VITAL	5:33 AM 5/14/07	Alarm	N	HMI Backup Ethernet LAN A Failed
STAT	5:33 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	5:33 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
VITAL	5:33 AM 5/14/07	Alarm	N	HMI Backup Ethernet LAN B Failed
STAT	5:33 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
STAT	5:33 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
STAT	6:44 AM 5/14/07			Harm Filter Stbd Contactor Closed
STAT	6:45 AM 5/14/07			Fire/Bilge Pump #1 Stopped
VITAL	7:02 AM 5/14/07	Alarm	N	Hydraulic Pump Off, Z-Drive Stbd
STAT	7:02 AM 5/14/07			Z Drive Cool Pump #1 Stopped

SEA	STAT	7:07 AM 5/14/07			Z Drive Cool Pump #1 Running
SEA	STAT	7:07 AM 5/14/07			Z Drive Cool Pump #1 Stopped
PRP	VITAL	7:08 AM 5/14/07	Alarm	N	Hydraulic Pump Off, Z-Drive Stbd
FMEA	STAT	7:08 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
FMEA	STAT	7:08 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
BLG	STAT	7:35 AM 5/14/07			Fire/Bilge Pump #1 Running
SEA	STAT	7:38 AM 5/14/07			Z Drive Cool Pump #1 Running
AMS	VITAL	8:09 AM 5/14/07	Alarm	N	HMI Backup Ethernet LAN A Failed
FMEA	STAT	8:09 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
FMEA	STAT	8:09 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
AMS	VITAL	8:09 AM 5/14/07	Alarm	N	HMI Backup Ethernet LAN B Failed
PRP	VITAL	10:41 AM 5/14/07	Alarm	N	Hydraulic Pump Off, Jet Pump
FMEA	STAT	10:41 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
FMEA	STAT	10:41 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
JPD	VITAL	10:41 AM 5/14/07	Alarm	N	Jet Drive Breaker Open
FMEA	STAT	10:41 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
FMEA	STAT	10:42 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
FMEA	STAT	10:42 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED
PZD	VITAL	10:42 AM 5/14/07	Alarm	N	Port Z-Drive Breaker Open
FMEA	STAT	10:42 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
PRP	VITAL	10:42 AM 5/14/07	Alarm	N	Hydraulic Pump Off, Z-Drive Stbd
SEA	STAT	10:42 AM 5/14/07			Z Drive Cool Pump #1 Stopped
PRP	VITAL	10:42 AM 5/14/07	Alarm	N	Hydraulic Pump Off, Z-Drive Port
SEA	STAT	10:42 AM 5/14/07			Z Drive Cool Pump #2 Stopped
FMEA	STAT	10:42 AM 5/14/07			PILOT HOUSE ALARM SILENCE BUTTON PRESSED
SZD	VITAL	10:42 AM 5/14/07	Alarm	N	Stbd Z-Drive Breaker Open
GEN1	STAT	10:42 AM 5/14/07			Generator 1 CKT Bkr Opened
GEN1	STAT	10:42 AM 5/14/07			Engine #1 Run Status
FMEA	STAT	10:43 AM 5/14/07			EOS ALARM SILENCE BUTTON PRESSED