Certificate No.: 37429

CERTIFICATE OF RE-INSPECTION

This is to certify that the liferaft detailed below has been surveyed, controlled and tested in compliance with requirements from:

and the manufacturer and in accordance with USCG/TC and IMO resolution:

Inflatable Liferaft

Identification:	Type	Capacity:	Serial No.:	Date of manufacture:
	DBC	3.2 SLIDE	12876-3.2SL	12/02
	Fabric type:	Length of painter:		Max stowage height:
	BUTYL	1 m/inside	0 m/outside 0	m

Cylinders:	Serial Number:	Contents CO_2:	Contents N_2:	Latest hyd. test:
	824508	18.375	.531	8/03

Equipment:	Unit:	Type:	Serial No.:	Expiry Date:
	Emergency pack:	NA		
	EPIRB:	NA		
	HRU test:	NA		
	Radar reflector:	NA		
	First aid kit:	NA		

Tests:	NAP-test:	Gas inflation test:	Floor seam test:	Load test davit launched:
	Yes/no: NO	Yes/no: NO	Yes/no: NO	Yes/no: NA
	Latest test*:	Latest test*: 8/03	Latest test*: 8/02	Latest test*: NA

* Latest test date (month/year)

Verification:	Date of inspection:	Service station name and No.	Date issued to ship:
	2/5/07	MSS	2/7/07

Date of inspection: authority ID No.	Remarks/modification:
427	ANNUAL

This inflatable liferaft requires servicing 12 months from the latest inspection date in accordance with the SOLAS regulation. Non SOLAS but approved by USCG must be inspected per current CFR or CSA.

Flagstate of ship: USA

IMO No.:

International call signal:

Name of ship / owner: "EMPERORS OF THE NORTH"

SHAWN SIMMONS

For authorized servicing station (printed name)

[redacted]

Signature

AUTHORIZED AND APPROVED SERVICING STATIONS TO BE USED ONLY. ONLY THIS ORIGINAL DOCUMENT FORM TO BE ACCEPTED.

DBC Marine Safety Systems Ltd.
101-3760 Jacombs Road, Richmond, B.C. V6V 1Y6 Canada Tel: 604 278 3221 Fax: 604 278 7812

NO.: 3289

2/6/07 Vessel Emprise of the North 3289
DBC Size 3.25 Slide MFG. 12/02 Pack NA
12876-325L ☐Suitcase Container ☑Valise ☐DOT Container ☑Floor

S/N: 824508 Spun: 8/03 Epirb Type:
CO_2: 18.375 Tare: 41.93 Epirb S/N:
N_2: .531 Gross: 60.60 Batt Exp:

☑	Pump Inflator	LR 001	☑	Test 5" Yr Inflation	LR 065
☑	Equipment Bag	LR 002	☑	Gunnel Tie	LR 082
☑	Repair Kit Adhesive	LR 004	☑	Sealing Tape Inner Plastic	LR 084
☑	Paddles	LR 009	☑	Painter Tube	LR 089
☑	Instruction Manual	LR 011	☑	Bea/Int battery Pack	LR 111
☑	Life raft Bailer	LR 014	☑	SEI Pin	LR 118
☑	Sponge	LR 015	☐	Fire Cable Tape	1 LR 120 6.95
☑	Flashlight USCG 3 Cell	LR 016	☑	Launching Placard	LR 130
☑	Flashlight Batteries D Cell	LR 017	☑	Operating head Cover Tape	LR 131
☑	Flashlight Bulb	LR 018	☑	Painter bridge	LR 135
☑	Signal Mirror	LR 023	☑	Sealed Water Proof Bags	LR 136
☑	Signal Whistle	LR 024	☑	Raft info Placard	LR 137
☑	Fish Kit	LR 026	☑	Logo Label	LR 138
☑	Floating Knife	LR 036	☑	Boat Name/ Homeport Tag	LR 199
☑	Painter Line	LR 040	☑	ACR 5 YR Lithium Battery	LR 140
☑	Weak Link Cable	LR 045	☑	Bursting Strap	LR 115
☐	Labels	2 LR 046 4.25	☑	Plastic Strap RFD	LR 115R
☑	Container Gasket	LR 048	☑	Do Not Cut Tape	LR 107
☑	Heaving Line W/ Quoit	LR 051	☑	S/S Bursting Strap	LR 074
☑	Retro Tape	LR 057	☑	Hinge	LR 101
☑	Rescue Signal Table	LR 059	☑	Reattach Hinge	LR 101A
☑	Deflation Plug	LR 070	☑	Thermal Prot Aid	TPA 01
☑	Deflation Key	LR 071	☑	1st Aid Kit	LR 069
☑	Immediate Action Card	SIGN 06	☑	Iodine Swabs	LR 077
☑	Painter Plug	LR 119A	☑	Eye Irrigator & Dressing	LR 078
☑	CO_2 Cylinder	CO 02	☑	Ammonia Inhalant	LR 093
☑	CO_2 Valve Kidde	CO 04	☑	Burn Cream	LR 094
☑	Stem & Seat Kidde	CO 06	☑	Pain Reliever	LR 053
☑	Poppet Assembly-Sparklett	CO 07	☑	Parachute Rocket m_____	PY 800
☑	Cylinder Hydrotest	CO 08	☑	Red Hare Flare m_____	PY 801
☑	Cylinder Recharge	CO 09	☑	3-Minute Smoke m_____	PY 802
☐	Cylinder Leak Test	1 CO 10 12.50	☑	Water Soft Pack m_____	LR 021____
☑	Cylinder Paint	CO 11	☑	Rations m_____	LR 022____
☑	Thanner Disc	CO 19	☑	Hydro Release Raft	REL 90
☐	Thanner Safety Cap Red	1 CO 25 14.25	☐	OTHER_____	
☑	High Pressure Hose "Y" Fitting	CO 29	☐	OTHER_____	
☑	Valve Safety Wire	CO 30	☐	OTHER_____	
☑	CO_2 Hose 8" 10 & 12	1 CO 31	☐	OTHER_____	
☑	CO_{32} Hose 14"	CO 32			
☑	DK 88 Firing Head	CO 33			
☑	Fiber Washer	LR 102			
☑	Copper washer	LR 104			
☑	Container Tape Black	LR 110			
☑	Firing Pin	LR 306			
☑	Beacon Lite Cell_____	LR 030			
☑	Interior Light Cell_____	LR 031			
☑	Beacon Lite Cell Test	LR 032			
☑	Interior Lite Cell Test	LR 033			
☑	Seasick Tablets	SS_____			
☑	Canopy Beacon Lithium Batt	LR 038L			
☑	Canopy Interior Lithium Batt	LR 039L			
☑	Lithe Cell McMurdo	LR 034			
☑	Painter Patch	LR 058			
☑	Sealing Tape Equip. Pack	LR 060			
☑	Test Floor Seam	LR 063			

INV# 1 of 118

Time:	505	605
	START:	FINISH:
Floor:	NO	
~~Upper:~~ R	80	79
~~Lower:~~ L	80	79
B	80	79
Temperature:	61	61
Barometer:	30	30

ZODIAC

DBC Marine Safety Systems Ltd.

Certificate No.: 37428

CERTIFICATE OF RE-INSPECTION

This is to certify that the liferaft detailed below has been surveyed, controlled and tested in compliance with requirements from:

and the manufacturer and in accordance with USCG/TC and IMO resolution:

Inflatable Liferaft

Identification:

Type	Capacity:	Serial No.:	Date of manufacture:
DBC	3.2 SLIDE	12877-3.2SLIDE	12/02
Fabric type:	**Length of painter:**		**Max stowage height:**
BUTYL	1 m/inside	0 m/outside	0 m

Cylinders:

Serial Number:	Contents CO_2:	Contents N_2:	Latest hyd. test:
824531	18.375	.531	3/04

Equipment:

Unit:	Type:	Serial No.:	Expiry Date:
Emergency pack:	NA		
EPIRB:	NA		
HRU test:	NA		
Radar reflector:	NA		
First aid kit:	NA		

Tests:

NAP-test:	Gas inflation test:	Floor seam test:	Load test davit launched:
Yes/no: NO	Yes/no: NO	Yes/no: NO	Yes/no: NA
Latest test*: -	Latest test*: .3/04	Latest test*: 3/04	Latest test*: NA

* Latest test date (month/year)

Verification:

Date of inspection:	Service station name and No.	Date issued to ship:
2/5/07	MSS	2/7/07

Date of inspection: authority ID No.	Remarks/modification:
427	ANNUAL

This inflatable liferaft requires servicing 12 months from the latest inspection date in accordance with the SOLAS regulation. Non SOLAS but approved by USCG must be inspected per current CFR or CSA.

Flagstate of ship: USA

IMO No.:

International call signal:

Name of ship / owner: "EMPERORS OF THE NORTH"

SHAWN SIMMONS

For authorized servicing station (printed name)

[redacted]

Signature

AUTHORIZED AND APPROVED SERVICING STATIONS TO BE USED ONLY. ONLY THIS ORIGINAL DOCUMENT FORM TO BE ACCEPTED.

DBC Marine Safety Systems Ltd.
101-3760 Jacombs Road, Richmond, B.C. V6V 1Y6 Canada Tel: 604 278 3221 Fax: 604 278 7812

Model DK
S/N 12877-3251

Vessel
Size 3.25 L.6 MFG. 12/02 Pack NA
☐Suitcase Container ☑Valise ☐DOT Container ~~☐Floor~~

Cyl S/N: 824531
CO_2: 18.375
N_2: .531

Spun: 3/04
Tare: 42.11
Gross: 61.12

Epirb Type:
Epirb S/N:
Batt Exp:

☐ Pump Inflator	___LR 001	☐ Test 5th Yr Inflation	___LR 065
☐ Equipment Bag	___LR 002	☐ Gunnel Tie	___LR 082
☐ Repair Kit Adhesive	___LR 004	☐ Sealing Tape Inner Plastic	___LR 084
☐ Paddles	___LR 009	☐ Painter Tube	___LR 089
☐ Instruction Manual	___LR 011	☐ Bea/Int battery Pack	___LR 111
☐ Life raft Bailer	___LR 014	☐ SEI Pin	___LR 118
☐ Sponge	___LR 015	☐ Fire Cable Tape	1 LR 120
☐ Flashlight USCG 3 Cell	___LR 016	☐ Launching Placard	___LR 130
☐ Flashlight Batteries D Cell	___LR 017	☐ Operating head Cover Tape	___LR 131
☐ Flashlight Bulb	___LR 018	☐ Painter bridge	___LR 135
☐ Signal Mirror	___LR 023	☐ Sealed Water Proof Bags	___LR 136
☐ Signal Whistle	___LR 024	☐ Raft info Placard	___LR 137
☐ Fish Kit	___LR 026	☐ Logo Label	___LR 138
☐ Floating Knife	___LR 036	☐ Boat Name/ Homeport Tag	___LR 199
☐ Painter Line	___LR 040	☐ ACR 5 YR Lithium Battery	___LR 140
☐ Weak Link Cable	___LR 045	☐ Bursting Strap	___LR 115
☐ Labels	2 LR 046	☐ Plastic Strap RFD	___LR 115R
☐ Container Gasket	___LR 048	☐ Do Not Cut Tape	___LR 107
☐ Heaving Line W/ Quoit	___LR 051	☐ S/S Bursting Strap	___LR 074
☐ Retro Tape	___LR 057	☐ Hinge	___LR 101
☐ Rescue Signal Table	___LR 059	☐ Reattach Hinge	___LR 101A
☐ Deflation Plug	___LR 070	☐ Thermal Prot Aid	___TPA 01
☐ Deflation Key	___LR 071	☐ 1st Aid Kit	___LR 069
☐ Immediate Action Card	___SIGN 06	☐ Iodine Swabs	___LR 077
☐ Painter Plug	___LR 119A	☐ Eye Irrigator & Dressing	___LR 078
☐ CO_2 Cylinder	___CO 02	☐ Ammonia Inhalant	___LR 093
☐ CO_2 Valve Kidde	___CO 04	☐ Burn Cream	___LR 094
☐ Stem & Seat Kidde	___CO 06	☐ Pain Reliever	___LR 053
☐ Poppet Assembly-Sparklett	___CO 07	☐ Parachute Rocket m_____	___PY 800
☐ Cylinder Hydrotest	___CO 08	☐ Red Hare Flare m_____	___PY 801
☐ Cylinder Recharge	___CO 09	☐ 3-Minute Smoke m_____	___PY 802
☐ Cylinder Leak Test	1 CO 10	☐ Water Soft Pack m_____	LR 021____
☐ Cylinder Paint	___CO 11	☐ Rations m_____	LR 022____
☐ Thanner Disc	___CO 19	☐ Hydro Release Raft	____REL 90
☐ Thanner Safety Cap Red	1 CO 25	☐ OTHER _____	
☐ High Pressure Hose "Y" Fitting	___CO 29	☐ OTHER _____	
☐ Valve Safety Wire	___CO 30	☐ OTHER _____	
☐ CO_2 Hose 8 108.12	1 CO 31	☐ OTHER _____	
☐ CO_{32} Hose 14"	___CO 32		
☐ DK 88 Firing Head	___CO 33		
☐ Fiber Washer	___LR 102		
☐ Copper washer	___LR 104		
☐ Container Tape Black	___LR 110		
☐ Firing Pin	___LR 306		
☐ Beacon Lite Cell_____	___LR 030		
☐ Interior Light Cell_____	___LR 031		
☐ Beacon Lite Cell Test	___LR 032		
☐ Interior Lite Cell Test	___LR 033		
☐ Seasick Tablets	SS_____		
☐ Canopy Beacon Lithium Batt	___LR 038L		
☐ Canopy Interior Lithium Batt	___LR 039L		
☐ Lithe Cell McMurdo	___LR 034		
☐ Painter Patch	___LR 058		
☐ Sealing Tape Equip. Pack	___LR 060		
☐ Test Floor Seam	___LR 063		
☐ Test NAP	___LR 064		

61501 #NA1

Time:	5.05	6.05
	START:	FINISH:
~~Floor:~~	NO	
~~Upper:~~ R	80	79
~~Lower:~~ L	80	79
B	80	79
Temperature:	61	61
Barometer:	30	30